FREQUENCY DOMAIN REPRESENTATION AND SINGULAR VALUE DE-COMPOSITION

Athanasios C. Antoulas

Department of Electrical and Computer Engineering, Rice University, USA

Keywords: linear systems, internal representation, external representation, Laplace transform, Z-transform, vector norms, matrix norms, Singular Value Decomposition (SVD), convolution operator, Hankel operator, reachability and observability gramians.

Contents

Glossary
Bibliography
Biographical Sketch

Summary

This chapter reviews the external and the internal representations of linear-time-invariant systems. This is done both in the time and the frequency domains. The realization problem is then discussed. Given the importance of norms in control design and model reduction, the final part of this chapter is dedicated to the definition and computation of various norms. Again, the interplay between time and frequency norms is emphasized.

1. Introduction

One of the most powerful tools in the analysis and synthesis of linear time-invariant systems is the equivalence between the *time domain* and the *frequency domain*. Thus additional insight into problems in this area is obtained by viewing them both in *time* and in *frequency*. This dual nature accounts for the presence and great success of linear systems both in engineering theory and applications.

In this chapter we will provide an overview of certain results concerning the analysis of linear dynamical systems. Time and frequency domain frameworks are inextricably connected. Therefore together with frequency domain considerations in the sequel, unavoidably, a good deal of time domain considerations are included as well.

Our goals are as follows. First, basic system representations will be introduced, both in time and in frequency. Then the ensuing *realization problem* is formulated and solved. Roughly speaking the realization problem entails the construction of a state space model from frequency response data.

The second goal is to introduce various *norms* for linear systems. This is of great importance both in *control design* and in *system approximation/model reduction*.

First it is shown that besides the convolution operator we need to attach a second operator to every linear system, namely the Hankel operator. The main attribute of this operator is that it has a discrete set of singular values, known as the *Hankel singular values*. These singular values are main ingredients of numerous computations involving control design and model reduction of linear systems. Besides the Hankel norm, we discuss various p-norms, where $p = 1, 2, \infty$. It turns out that norms which are obtained for $p = 2$ have both a time domain and a frequency domain interpretation. The rest have an interpretation in the time domain only.

The chapter is organized as follows. The next section is dedicated to a collection of useful result on two topics: The Laplace and discrete-Laplace transforms on the one hand and norms and the SVD on the other. Tables 1 and 2, summarize the salient properties of these two transforms. Section 3 develops the external and internal representations of linear systems. This is done both in the time and frequency domains,

with the results summarized in two further Tables 3,4. This discussion is followed by the formulation and solution of the realization problem. Finally Section 4 is dedicated to the exposition of various norms for linear systems. The basic features of these norms are summarized in Table 5. We conclude by outlining the use of the various norms in control system design and system approximation.

2. Preliminaries

2.1. The Laplace Transform and the $\mathcal{Z}$ -transform

The logarithm can be considered as an elementary transform. It assigns a real number to any positive real number. It was invented in the middle ages and its purpose was to convert the *multiplication* of multi-digit numbers to addition. In the case of linear, time-invariant systems the operation which one wishes to simplify is the *derivative with respect to time* in the continuous-time case or the *shift* in the discrete-time case. As a consequence, one also wishes to simplify the operation of *convolution*, both in discrete- and continuous-time.

Thus an operation is sought which will transform derivative into simple multiplication in the transform domain. In order to achieve this however, the transform needs to operate on functions of time. The resulting function will be one of complex frequency. This establishes two equivalent ways of dealing with linear, time-invariant systems, namely in the *time domain* and in the *frequency domain*. In the next two sections we will briefly review some basic properties of this transform, which is called Laplace transform in continuous-time and discrete-Laplace of $\mathcal{Z}$ -transform in discrete-time.

2.1.1. Some Properties of the Laplace Transform

Consider a function of time $f(t)$. The *unilateral Laplace transform* of f is a function denoted by $F(s)$ of the complex variables $s = \sigma + jw$. The definition of F is as follows:

$$f(t) \xrightarrow{\mathcal{L}} F(s) := \int_{0-}^{\infty} f(t) e^{-st} dt \tag{2.1}$$

Therefore the values of f for negative time are ignored by this transform. Instead, in order to capture the influence of the past, initial conditions at time zero are required (see *Differentiation in time*, see Table 1). The salient properties of the Laplace transform are summarized in Table 1.

2.1.2. Some Properties of the $\mathcal{Z}$ -transform

Consider a function of time $f(t)$, where time is discrete $t \in \mathbb{Z}$. The *unilateral $\mathcal{Z}$ -transform* of f is a function denoted by $F(z)$ of the complex variable $z = re^{j\theta}$. The definition of F is as follows:

$$f(t) \xrightarrow{\mathscr{Z}} F(z) := \sum_{t=0}^{\infty} z^{-t} f(t) \qquad (2.2)$$

The main features of this transform are summarized in Table 2.

Basic Laplace transform properties		
Property	Time signal	$\mathcal{L}$ -transform
Linearity	$af_1(t) + bf_2(t)$	$aF_1(s) + bF_2(s)$
Shifting in the s-domain	$e^{s_0 t} f(t)$	$F(s - s_0)$
Time scaling	$f(at), a > 0$	$\frac{1}{a} F\left(\frac{s}{a}\right)$
Convolution	$f_1(t) * f_2(t)$ $f_1(t) = f_2(t) = 0, t < 0$	$F_1(s)F_2(s)$
Differentiation in time	$\frac{d}{dt} f(t)$	$sF(s) - f(0^-)$
Differentiation if freq.	$-tf(t)$	$\frac{d}{ds} F(s)$
Integration in time	$\int_{0^-}^{t} f(\tau) d\tau$	$\frac{1}{s} F(s)$
Impulse	$\delta(t)$	1
Exponential	$e^{at} \mathbb{I}(t)$	$\frac{1}{s-a}$
Initial value Theorem : $f(0^+) = \lim_{s \to \infty} sF(s)$		
Final value theorem: $\lim_{t \to \infty} f(t) = \lim_{s \to 0} sF(s)$		

Table 1: Basic Laplace transform properties (The last 2 properties hold provided that $f(t)$ contains no impulses or higher-order singularities at $t = 0$.)

Basic $\mathscr{Z}$ -transform properties   ($t \in \mathbb{Z}$)

Property	Time signal	$\mathscr{Z}$-transform
Linearity	$af_1(t) + bf_2(t)$	$aF_1(z) + bF_2(z)$
Forward shift	$f(t-1)$	$z^{-1}F(z) + f(-1)$
Backward shift	$f(t+1)$	$z^{-1}F(z) + f(-1)$
Scaling in freq.	$a^t f(t)$	$F\left(\frac{z}{a}\right)$
Conjugation	$f^*(t)$	$F^*(z^*)$
Convolution	$f_1(t) * f_2(t)$ $f_1(t) = f_2(t) = 0, t < 0$	$F_1(z)F_2(z)$
Differentiation if freq.	$tf(t)$	$-z\frac{d}{dz}F(z)$
Impulse	$\delta(t)$	1
Exponential	$a^n \mathbb{I}(t)$	$\frac{z}{z-a}$
First difference	$f(t) - f(t-1)$	$(1 - z^{-1})F(z) - f(-1)$
Accumulation	$\sum_{k=0}^{n} f(t)$	$\frac{1}{1 - z^{-1}}F(z)$
Initial value Theorem : $f[0] = \lim_{z \to \infty} F(z)$		
Final value theorem: $\lim_{t \to \infty} f(t) = \lim_{s \to 0} sF(s)$		

Table 2: Basic $\mathscr{Z}$-transform properties

2.2. Norms of Vectors, Matrices and the SVD

In this section we will first review some material from liner algebra which pertains to norms of vectors, norms of operators (matrices), both in finite and infinite dimensions. The latter are of importance because a linear system can be viewed as a map between infinite dimensional spaces. The Singular Value Decomposition (SVD) will also be introduced and its properties briefly discussed.

2.2.1. Norms of Finite-dimensional Vectors and Matrices

Let X be a linear space over the field $\mathbb{K}$ which is either the field of reals $\mathbb{R}$ or that of complex numbers $\mathbb{C}$. A norm on X is a function $v : X \to \mathbb{R}$, such that the following three properties are satisfies. Non-strict positivity: $v(x) \geq 0, \ \forall x \in X$, with equality if $x = 0$; triangle inequality: $v(x + y) \leq v(x) + v(y), \ \forall x, y \in X$; positive homogeneity: $v(\alpha x) = |\alpha| v(x), \ \forall \alpha \in \mathbb{K}, \ \forall x \in X$. For vectors $x \in \mathbb{R}^n$ or $x \in \mathbb{C}^n$ the **Hölder** or p -**norms** are defined as follows:

$$\| x \|_p \ := \ \begin{cases} (\Sigma_{i \in \underline{n}} |x_i|^p)^{\frac{1}{p}}, \ 1 \leq p < \infty \\ \max_{i \in \underline{n}} |x_i|, \ p = \infty \end{cases} \quad , \quad x = \begin{pmatrix} x_1 \\ \vdots \\ x_n \end{pmatrix} \tag{2.3}$$

where $\underline{n} := \{1, 2, ..., n\}, n \in \mathbb{N}$. The 2-norm satisfies the *Cauchy-Schwartz inequality*:

$$| x^* y | \leq \| x \|_2 \| y \|_2$$

with equality holding if and only if $y = cx, \ c \in \mathbb{K}$, or $y = 0$. An important property of the 2-norm is that it is invariant under *unitary* (orthogonal) transformations; let U be such a transformation, that is, $UU^* = U^* U = I_n$. It follows that $\| Ux \|_2^2 = x^* U^* Ux = x^* x = \| x \|_2^2$. The following relationship between the Hölder norms for $p = 1, 2, \infty$ holds:

$$\| x \|_\infty \ \leq \ \| x \|_2 \ \leq \ \| x \|_1$$

One type of matrix norms are those which are *induced* by the vector p -norms defined above.

Figure 1: The linear transformation A maps the unit sphere into an ellipsoid. The singular values are the lengths of the semi-axes of the ellipsoid.

More precisely for $A \in \mathbb{C}^{m \times n}$

$$\| A \|_{p,q-\text{ind}} := \sup_{x \neq 0} \frac{\| Ax \|_q}{\| x \|_p} \tag{2.4}$$

is the *induced* p, q-*norm* of A. In particular, for $p = q = 1, 2, \infty$ the following expressions hold

$$\| A \|_1 = \max_{i \in \underline{n}} \sum_{j \in \underline{m}} | A_{ij} |, \ \ \| A \|_\infty = \max_{j \in \underline{m}} \sum_{i \in \underline{n}} | A_{ij} |, \ \ \| A \|_2 = [\lambda_{max}(AA^*)]^{\frac{1}{2}}$$

Besides the induced matrix norms, there exists other norms. One such class is the *Schatten* p-*norms* of matrices. These non-induced norms are unitarily invariant. Let $\sigma_i(A), \ 1 \leq i \leq \min(m, n)$, be the singular values of A, i.e. the square roots of the

eigenvalues of AA^* (see also Section 2.2.2). Then

$$\| A \|_p := \left(\sum_{i \in \underline{m}} \sigma_i^p(A) \right)^{\frac{1}{p}}, \ 1 \le p < \infty \tag{2.5}$$

It follows that the Schatten norm for $p = \infty$ is

$$\| A \|_\infty = \sigma_{max}(A)$$

which is the same as the 2-induced norm of A. For $p = 1$ we obtain the *trace norm*

$$\| A \|_1 = \sum_{i \in \underline{m}} \sigma_i(A)$$

For $p = 2$ the resulting norm is also known as the **Frobenius norm**, the **Schatten 2-norm**, or the **Hilbert-Schmidt norm** of A:

$$\| A \|_F = \left(\sum_{i \in \underline{m}} \sigma_i^2(A) \right)^{\frac{1}{2}} = (\text{trace}(A^*A))^{\frac{1}{2}} = (\text{trace}(AA^*))^{\frac{1}{2}} \tag{2.6}$$

where trace $(\cdot)$ denotes the *trace* of a matrix

-
-
-

TO ACCESS ALL THE **68 PAGES** OF THIS CHAPTER,
Click here

Bibliography

Antoulas A.C. (1998), approximation of linear operators in the 2-norm, Linear Algebra and its Applications, Special Issue of Challenges in Matrix Theory, volume 278, pp309-316. [For Section 1]

Antoulas A.C., Sontag E.D. and Yamamoto Y. (1999), controllability and Observability, in the Wiley Encyclopedia of Electrical and Electronics Engineering, edited by J.G. Webster, volume 4: 264-281. [For Section 3.2.3]

Antoulas A.C. (1999), Approximation of linear dynamical systems, in the Wiley Encyclopedia of Electrical and Electronics Engineering, edited by J.G. Webster, volume 11: 403-422. [For Section 1]

Antoulas A.C. (2005), Approximation of large-scale dynamical systems, SIAM Philadelphia. [For Sections 1, 3, 3.2.4, 4.5.1]

Antoulas A.C. and Sorensen D.C. (2001), Lyapunov, Lanczos and Inertia, Linear Algebra and Its Applications, LAA, volume 326, pp137-150. [For Section 3.2.4]

Brogan W.L. (1991), Modern control theory, Prentice Hall. [For Sections 2.1, 3]

Boyd S.P and Barratt C.H. (1991), Linear controller design: Limits of performance, Prentice Hall. [For Section 4]

Chellaboina V.S.K, Haddad W.M., Bernstein D.S., and Wilson D.A. (2000), Induced Convolution Norms of Linear Dynamical Systems, Math. of Control Signals and Systems MCSS 13: 216-239. [For Section 4.4 and the induced-ness of the $\mathcal{H}_2$ norm]

Francis B.A. (1987), A course in $\mathcal{H}_\infty$ control theory, Springer Lec. Notes in Control and Information Sciences, 88. [For Sections 2.2.6, 4]

Glover K. (1984), All optimal Hankel-norm approximations of linear multivariable systems and their L^∞-error bounds, International Journal of Control, 39: 115-1193. [For Sections 1, 3.2.4]

Green M. and Limebeer D.J.N. (1995), Linear robust control, Prentice Hall. [For Section 3]

Golub G.H. and Van Loan C.F. (1989), Matrix computations, The Johns Hopkins University Press. [For Section 2]

Hanzon B. (1992) The area enclosed by the oriented Nyquist diagram and the Hilbert Schmidt-Hankel norm of a linear system, IEEE Transactions on Automatic Control, AC- 37: 835-839. [For Section 4.4.3]

Hoffman K. (1962), Banach spaces of analytic functions, Prentice Hall. [For Sections 2, 2.2.6]

Horn R.A. and Johnson C.R. (1985), Matrix analysis, Cambridge University Press. [For Section 2]

Lancaster P. and Tismenetsky M, (1985), The theory of matrices, Academic Press. [For Sections 2, 3.2.4]

Moore B.C. (1981), Principal component analysis in linear systems: Controllability, observability and model reduction, IEEE Trans. Automatic Control, AC-26: 17-32. [For Section 3.2.4]

Polderman J.W. and Willems J.C. (1998), Introduction to mathematical systems and control: A behavioral approach, Text in Applied Mathematics, 26, Springer Verlag. [For Section 3]

Rugh W.J. (1996), Linear system Theory, Second Edition, Prentice Hall. [For Section 3]

Sontag E.D. (1998), Mathematical control theory, Springer Verlag. [For Section 3]

Young N. (1988), An introduction to Hilbert space, Cambridge University Press. [For Section 4]

Zhou K., Doyle J.C., and Glover K. (1996), Robust and optimal control, Prentice Hall. [For Sections 1, 3, 4]

Biographical Sketch

Thanos Antoulas was born in Athens, Greece. He studied at the ETH Zürich, where he obtained the Diploma of Electrical Engineering in 1975, the Diploma of Mathematics in 1975, and the Ph.D. Degree in Mathematics in 1980. He was Professor R.E. Kalman's only Ph.D. student in Switzerland.
Since 1982 he has been with the Department of Electrical and Computer Engineering, Rice University, where he is currently a Professor.

Professor Antoulas was elected Fellow of the IEEE (Institute of Electrical and Electronics Engineers) in 1991 and was awarded the Best Paper Prize of the AIAA (American Institute of Aeronautics and Astronautics) Guidance, Navigation and Control Section, in 1992. In 1995 he was awarded a JSPS (Japan Society for the Promotion of Science) Fellowship. He has served on the Editorial Board of many journals including the IEEE Transactions on Automatic Control, SIAM Journal on Control and Optimization, and Linear Algebra and its Applications. For the past 8 years he has been serving as Editor-in-Chief of Systems and Control Letters.

He has held many visiting appointments, including those at the Australian National University, the University of Groningen, the Catholic University of Leuven and Louvain-la-Neuve, the Tokyo Institute of

Technology, Kyoto University, etc. Furthermore he has given invited presentations at numerous conferences and workshops. His research interests are in the broad area of dynamical systems and computation including model reduction of large-scale systems. He is the author of a book on the Approximation of large-scale systems, published by SIAM.