

IMPORTANT MEDICINAL AND AROMATIC PLANTS – NEPAL

Khem Raj Bhattarai

*Past address: National Herbarium and Plant Laboratories, Godavari, Lalitpur, Nepal
Gorkha Ayurved Company Pvt. Ltd. Bagaincha Marga, Tahachal, Kathmandu, Nepal.*

Suresh C Subedi

Arkansas Tech University, Arkansas, USA

Keywords: anti-oxidants, Ayurvedic medicines, commercial use, conservation and trade, distribution, diversity, management, Medicinal and aromatic plants, traditional medicine.

Contents

1. Historical perspective of medicinal plants
 - 1.1. Overview of Medicinal and Aromatic Plants in Nepal
 2. Definition of Medicinal and Aromatic Plants (MAPs)
 - 2.1. Traditional Use of MAPs in Nepal
 3. Diversity of MAPs in general
 - 3.1. Diversity of MAPs in Nepal
 - 3.2. Significance of MAPs in Nepal
 - 3.3. Important species of MAPs in Nepal
 - 3.4. Distribution of MAPs in Nepal
 - 3.5. Trade of MAPs in Nepal
 4. MAPs with antioxidant properties
 5. MAPs used for cardiovascular disease
 6. Conservation of MAPs in Nepal
 7. Domestication and sustainable management of MAPs
 - 7.1. Important Traits Necessary to Modify During Domestication of MAPs
 8. Commercialization of MAPs
 9. Factors controlling sustainability of MAPs
 - 9.1. Trade and Commercial Value
 - 9.2. Climate Change
 - 9.3. Conservation and Protection
- Appendix
Glossary
Bibliography
Biographical Sketches

Summary

Medicinal and aromatic plants (MAPs) are deeply rooted into Nepalese culture and play major role in the subsistence of rural people in Nepal. These are reputed in Ayurvedic medicine across Indian sub-continent since prehistoric times. Nepal has been considered one of the biodiversity rich countries in the world. It is estimated that Nepal harbors more than 8,000 species of flowering plants, of which about 20-25% are recorded with medicinal and aromatic properties. Among them, about 10 % have commercial value

but most of them are traded in market without processing. The Government of Nepal has identified 148 major MAPs species and put royalty rate for each species for trade. However, a total 179 MAPs are found with high commercial importance based on their trade value, price, volume of collection and pharmaceutical use. Although a large amount of MAPs from Nepal is supplied all across the world, about 90 % of it is exported to India alone. MAP species represent diverse life forms; 49% herbs, shrubs 14% shrubs 29% trees, and 8% vines. MAPs are found from low land (Terai) to high mountains of the Himalayas in Nepal. A hump-shaped pattern of MAP distribution is found along the elevation gradient of Nepal, with maximum number of MAP species around 1000m elevation.

Mostly, the collection of MAPs comes from the natural population, so domestication of MAPs has been receiving much more attention in Nepal due to higher demand as industrial raw materials as well as to reduce dependency on natural habitats. Knowledge of species distribution, germination and propagation techniques, lifecycles traits and quality of medicinal plants would be very important factors for domestication and sustainable management for future. Although, the collection and trade of MAPs have been a source of income for Nepal, their sustainable harvesting measures are not well addressed. There is a lack of quantitative assessment of their natural population and association with socio-political and climatic factors. There is an urgent need to assess their natural habitats and populations, and find out factors affecting in their existence, so that effective conservation and sustainable harvesting measures can be implemented.

1. Historical Perspective of Medicinal Plants

Medicinal plants have been used to treat for various ailments since beginning of human civilization. The earliest records of the use of medicinal plants were found from the Sumerian civilization, approximately 5,000 years ago (Petrovska, 2012). It comprised 12 recipes for drug preparation referring to over 250 different plant species such as poppy, henbane and mandrake (Kelly, 2009). The Chinese Emperor Shen Nung wrote a book about medicinal plants in ca. 2500 B.C. in which he mentioned about 365 drugs of plant products, such as Gentian, Ginseng, Jimson weed, Cinnamon bark, and Ephedra plants (Bottcher, 1965; Wiart, 2006). The oldest text of Hinduism, derived from the ancient Indo-Aryan culture of the Indian subcontinent written between 1500 and 500 B.C., has mentioned about medicinal plants' use in healing of diseases (Tucakov, 1971). Written as a book in 1550 B.C., the Ebers Papyrus has mentioned 700 medicinal plant species such as pomegranate, castor oil plant, aloe, senna, garlic, onion, fig, willow, etc. (Glesinger, 1954; Tucakov, 1964).

In general, development and advancement in medicinal plants can be divided into five different periods: prehistoric, ancient, middle age, early modern age, and modern age (Kelly, 2009; Petrovska, 2012). The use of medicinal plants has been traced to prehistoric times when many plants were used for treatments various diseases (Teixeira-Santos et al., 2015). Spices were also used as food preservative against food spoilage bacteria in the tropical climate in prehistoric period (Gottardi et. al., 2015). The evidence of medicinal plants found in the prehistoric burial sites has been reported (Teixeira-Santos et. al., 2015). Hundreds of medicinal plants were also used during the earliest Sumerian civilization of Mesopotamia in the ancient times (Petrovska, 2012).

The use of medicinal plants has been documented in the Atharvaveda, the Rig Veda and the Sushrutasamhita and these lead to development of Ayurveda in Southeast Asia around 3,000 years before now (Pandey et al., 2013). In around 60 A.D., a Greek physician had documented over 600 medicinal plants in De Materia Medica (Nutton, 2012). From the Middle Ages (between 5th and late 15th centuries), information on medicinal plants based on traditional knowledge and herbal gardens has been started to be documented (Petrovska, 2012). Herbal medicines were started to flourish as Ayurveda, Siddha, Amchi, Chinese, and Tibetan system of medicines in various parts of world during this time. However, knowledge of medicinal plants became more utilized in modern age (between 19th and 20th centuries) with the application of chemistry and pharmaceutical methods and tools, mainly in extraction of plant metabolites and formulation of medicines (Kelly, 2009).

1.1. Overview of Medicinal and Aromatic Plants in Nepal

The MAPs are deeply rooted into Nepalese culture and they play major role in the subsistence of rural people in Nepal. The wealth of Himalayan herbs from Nepal has been reputed in Ayurvedic medicine across the Indian sub-continent since prehistoric times. Nepal which is located between India and China (Figure 1) has a long tradition of using MAPs to treat various ailments. The evidence of medicinal plants can be traced before 7,000 years from today. For example, according to Hindu mythology, Hanuman, the obedient soldier of Ram (the Hindu god) brought medicinal herbs from Indian Mountains (Vindhyachal Parbat) to treat Ram's brother Laxman, who was gravely wounded during the war (Acharya, 1887).




Figure 1. Geographical location of Nepal and its districts

Many important traditional practices of medicine including Ayurveda, Unani, Siddha and Tibetan (Sowa Rigpa) have been practiced in Nepal (Phoboo et al., 2008). Beside these, there are local medical practices prevailing among the different tribes of Nepal. However, the dominant practice in Nepal is Ayurvedic system which has three principles, namely, “VATA” “PITTA” and “KAPHA (COUGH)”. Human health is an optimal state of harmonious balance among these three elements. The Ayurveda (Ayurvedic system) is a treatment system that is rooted in the ancient Hindu culture which has developed in connection to Veda and Hindus civilization (Kunwar, 2017).

Besides, Ayurvedic practitioners, Amchi (Tibetan practitioners), Siddha and Unani also utilize the medicinal plants for treatments in Nepal (Ghimire et al., 2016). Many MAPs are exported to neighboring countries and overseas, including India, China, European countries and America (Bhattarai and Ghimire, 2006). The high demand of MAPs of Nepal in the international market is attributed to their unique bioactive compounds and medical efficiency (Phoboo et al., 2008).

2. Definition of Medicinal and Aromatic Plants

Plants with medicinal and/or aromatic uses are called medicinal and aromatic plants, abbreviated as MAPs. Plants with specific properties with proven health benefits are defined as medicinal plants (Taylor, 1996), also called herbal drugs. They are used to treat ailments in traditional and modern medical systems throughout the world. Medicinal plants are used as raw, processed or semi-processed forms, often in combination with multiple plants or ingredients (Bhattarai and Ghimire, 2006). Many medicinal plants are sources for the extraction of important chemical compounds which are used for the production of drugs.

Aromatic plants contain aromatic compounds which are usually extracted in the form of essential oils, concentrated hydrophobic liquids, also known as volatile oils, ethereal oils, aetheroleum or plant oils (Gyawali et al., 2008). Generally, essential oils are extracted by distillation from leaves, barks, buds, whole plants, flowers, fruits and seeds. These oils are useful also in the production of various cosmetic products, perfumes, medicines, toiletry and for aromatherapy (Ghimire, 2008). Plant oils have various health benefits as they are often used to ease stress, boost mood, relieve pain from headaches and migraines, get a better sleep during night, and quell nausea. Most of the essential oils have antiseptic properties as well (Chouhan et al., 2017). Common essential oils in Nepal are Basil, Calendula, Cinnamon, Citronella, Eucalyptus, Lemongrass and Peppermint (Gyawali et al., 2008).

2.1. Traditional Use of MAPs in Nepal

In Nepal, about 80% of the people live in rural areas, of which a majority of them rely on traditional remedies that involve the use of MAPs for their health problems (Bhattarai et al., 2012). The use of herbal medicine has been considered safe and reliable which is economically affordable for those poor people in rural areas (Ambu et al., 2020). In Nepal, several medicinal plants have been used as various traditional medicine system practices, such as Ayurveda, Siddha, Unani, Tibetan, and Chinese (Bhattarai and Ghimire 2006). In the northern part of Nepal, their use is mainly

influenced by Tibetan culture and practice of Tibetan medicine system (Sowa Rigpa), whereas, in the southern part of Nepal i.e., border to India, primarily three systems i.e., Ayurveda, Siddha and Unani have been in practice. In the mid-hill areas including Kathmandu (a capital city of Nepal), various types of traditional systems are in practice. Because of a high diversity in ethnicity and culture, the use of MAPs also varies across the country. Major ethnic groups in Nepal are Newar, Braman, Chhetri, Tharu, Chepang, Danuwar, Rai, Limbu, Gurung, Magar, Tamang, Jirel, and Muslim. The tradition of using MAPs varies among these groups. Among them, primarily Tharu, Danuwar, Tamang, Chepang and Rai are more dependent on traditional healing system in comparison to other ethnic groups (Kunwar, 2017).

Modern era of using MAPs in Nepal started after establishment of Herbs production and Processing Company (HPPCL), which is one of the oldest companies in Nepal and established in 1981 to extract essential oils from different indigenous Himalayan herbs as well as exotic plants. This company is a pioneer which created positive impacts on essential oil production as an industry in Nepal. Nowadays, various enterprises in Nepal are involved in essential oil extraction from plants such as

- *Mentha*,
- *Matricaria chamomilla*,
- *Lemongrass*,
- *Jatamansi*,
- *Eucalyptus* spp.,
- *Zanthoxylum armatum*,
- *Gaultheria fragrantissima*,
- Lichen.

These enterprise export essential oil and items with similar properties abroad, which is a major source of foreign currency in Nepal. According to United Nation COMTRADE data base, Nepal exported essentials, perfumes, and toiletries of \$ 14.95 million in 2021.

3. Diversity of MAPs in General

Royal Botanical Garden, Kew has reported about 391,000 species of vascular plant species globally. Experts estimate that about 5-10% of total plant species have been investigated for their pharmaceutical activity. According to an estimate made by Schipmann et al. (2006), globally, there are total 72,000 plant species used for medicinal purposes. China is a country with a long history of use of medicinal plants and there are about 11,000 medicinal plants (Pie and Huai, 2007). India alone has about 8000 plants that are considered to have medicinal value. Generally tropical countries are richer in plant diversity as well as in medicinal plants. Due to advancement of phytochemistry and pharmaceutical research every year new medical compounds are being identified from the plants and so the number of MAPs is being increased. However, sources of a majority of MAPs are wild areas from their natural habitats so research on domestication of MAPs should be given a priority.

3.1. Diversity of MAPs in Nepal

Due to diverse and extreme physio-climatic variation in Nepal, it harbors diverse ecosystems from tropical to temperate to alpine (Figure 2). Owing to its diverse climatic conditions some of the most unique and economically valuable MAPs are found in Nepal. The Himalayan elevation gradient is the longest bioclimatic gradient in the world extending from c. 60 to more than 8000 m within 150–200 km, south to north transect, and comprises tropical/subtropical, temperate, sub-alpine and alpine climatic zones. Nepal has been considered one of the biodiversity rich countries in the world. It is estimated that Nepal has more than 8,000 species of flowering plants, of which about 20-25% are recorded with medicinal and aromatic properties (Bhattarai and Ghimire, 2006). Regarding the number of MAPs in Nepal, different authors have reported different numbers. However, the number of MAPs may depend on the frequency of their use and type of traditional medical system practice. In Nepal, a maximum of 1,950 species of MAPs are reported (Ghimire, 2008); Tiwari et al. (2004) reported 1,700 MAPs; Baral and Kurmi (2006) reported 1,792 species. Only 143 species are found as commercial highly valuable medicinal plants which account for a significant amount of trade in the export (Bhattarai and Ghimire, 2006).



Figure 2. Photo shows a complex landscape of Nepal from low valleys to higher Himalayan landscape.

MAPs distribution is not uniform across the country in both directions, from south to north (latitude) and east to west (longitude) of Nepal. Lower sub-tropical region of Nepal (1000-1500m) harbors the maximum number of medicinal plants, about 700 species. The lowest number of MAPs are found in the higher elevation but the percentage of commercially important is greater in higher elevation than in the lower elevation. MAPs in Nepal also vary in their size and life forms. They are annuals (live

only one year or less), biennials (life cycle between one year and two years) and perennial (life cycle more than three years). Similarly, they represent various plant life forms such as trees, shrubs, climbers, and herbs (Bhattarai and Ghimire, 2006). Some of the unique and valuable MAPs found in Nepal are

- *Yarchagumba*,
- *Kutki*,
- *Jatamasi*,
- *Nirmasi*,
- *Bishma*,
- *Chiraito*.

The list of important MAPs are given in the Appendices 1.01-1-05

-
-

TO ACCESS ALL THE 42 PAGES OF THIS CHAPTER,
Visit: <http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

Acharya B. (1887). *Ramayan (Swadesh)*. Swadesh Prakashan, Kathmandu, Nepal.. [It is traditionally attributed to the authorship of the sage Valmiki and dated to around 500 BCE to 100 BCE, the Nepali translation of Valmiki Ramayana was made by Bhanubhakta Acharya and it is a major pillar of Hinduism].

Al-Snafi A.E. (2015a). Therapeutic properties of medicinal plants: a review of plants with cardiovascular effects (Part 1). *International Journal of Pharmacology and Toxicology*, 5(3): 163-176.. [This is a review to cover the cardiac, cardio properties and blood pressure properties of medicinal plants].

Al-Snafi A.E. (2015b). Therapeutic properties of medicinal plants: a review of plants with hypolipidemic, hemostatic, fibrinolytic and anticoagulant effects (part 1). *Asian Journal of Pharmaceutical Science and Technology*, 5(4): 271-284.. [This a review to cover the hypo-lipidemic, fibrinolytic and platelet aggregating and antioxidant effects of the medicinal plants].

Al-Snafi A.E. (2017). Medicinal plants possessed antioxidant and free radical scavenging effects (part 3)- A review. *IOSR Journal of Pharmacy*, 7(4), pp.48-62.. [This a review article that highlighted the importance antioxidants properties of medicinal plants to control free radical inside the human body system]

Ambu G., Chaudhary R.P., Mariotti M., and Cornara L. (2020). Traditional use of medicinal plants by ethnic people in the Kavrepalanchok District, Central Nepal. *Plants* 9, pp.759 doi:10.3390/plnts9060759.. [This study is about ethnobotanical survey that has reported use of medicinal plants and original recipes of used in the Kavreplanchok district of Nepal.]

Applequist W.L., Brinckmann J.A., Cunningham A.B., Hart R.E., Heinrich M., Katerere D.R. and Van Andel, T. (2020). Scientists' warning on climate change and medicinal plants. *Planta medica*, 86(01):10-18.. [This study highlighted the fact that climate change will have many negative effects for human and other species including plants].

Ashri A. (1989). Major gene mutations and domestication of plants. In Proceedings of an Advisory Group Meeting Organized by the Joint FAO/IAEA: Plant Domestication by Induced Mutation, Vienna, 17-21 November 1986, pp. 3-9. [This article elaborates role of induced mutation on plant domestication].

Baral S.R. and Kurmi P. P. (2006). *Compendium of Medicinal Plants in Nepal*. Rachana Sharma Publishers; Kathmandu, Nepal.. [This is a book which consists of collection and compilation of information of Nepalese medicinal plants and their therapeutic uses].

Bhattarai K.R., Måren I. E., and Chaudhary R. P. (2012). Medicinal plant knowledge of the Panchase region in the Middle Hills of the Nepalese Himalayas. *Banko Jankari*, 21(2):31-39.. [This is a study which explore the ethno botanical knowledge of people of the Panchase region of Nepal and use of different medicinal plants to treat different ailment].

Bhattarai K.R. and Ghimire M.D. (2006). Commercially important medicinal and aromatic plants of Nepal and their distribution pattern and conservation measure along the elevation gradient of the Himalayas. *Banko Janakari* 16 (1): 3-13.. [This is a research publication which deals what are important plant species of MAPs, how these are distributed in the wild and how is the regulation to collect and trade in the market].

Bhattarai K.R., Acharya N. and Adhikari M. (2005). Domestication of medicinal plants in Nepal: An overview. *Bulletin of Department of Plant Resource* 2(2):25-35.. [This is a historical review about the domestication of medicinal plants in Nepal how the process moving forward?].

Bhattarai K.R and Vetaas O.R. (2003). Variation in plant species richness of different life forms along a subtropical elevation gradient in the Himalayas, east Nepal. *Global Ecology and Biogeography*, 12:327–340 . [This a research which demonstrates how the patterns of plant diversity of different life-forms vary along the elevation gradient].

Bhattarai K.R. and Basnet B. (2000). Study on seed germination of *Swertia chirayita*: a step towards its domestication. In: *Proceedings of Nepal-Japan Joint Symposium in medicinal and aromatics plants held in Kathmandu, from Nov. 6-11: 198-200..* [This is a study which deals with germination techniques of *Swertia chirayita* and recommends best technique suitable for its domestication process].

Bhattarai K.R. (1997). Effect of different concentrations of phyto-hormones on seed germination of *Swertia chirayita*. *Banko Janakari*, 2:50-51.. [This is a study how the different concentration of different plant hormones play significant role on seed germination].

Bhattarai K.R. and Shrestha, S. (1996). Ecological study on Chiraito (*Swertia chrayita*) in Northern Gorkha. *Journal of Natural History Museum*, 15:13-16.. [This study deals with the observation upon the wild population and distribution patterns in the natural habitats].

Bhattarai K.R. (1992). *Medicinal Plants collection and cultivation*. Gorkha Ayurved Company, Kathmandu, Nepal.pp.76.. [This book which describe how to harvest MAPs and their yield per ha under cultivation].

Bhattarai K.R. (1991). Eco-physiological study of *Swertia chirayita* in northern Gorkha. MSc thesis submitted to Central Department of Botany, Tribhuvan University, Kathmandu, Nepal.. [This is a Master thesis which deals with combination of studies of *Swertia chirayita* in the natural habitat and physiological process of seeds during the germination].

Bottcher H. (1965) *Miracle drugs*. Zagreb: *Zora*. pp. 23–139.. [It is an article which covers historical review of about the use of medicinal plants].

Chouhan S., Sharma K. and Guleria S. (2017). Antimicrobial activity of some essential oils—present status and future perspectives. *Medicines*, 4(3):58.. [It is an extensive review and documentation on the antimicrobial properties of essential oils and their constituents has been carried out by several workers].

Devkota D. (2008). Approach towards the harvesting of *Codyceps sinensis* (BERK.) SACC. in Pastures of Dolpa, Nepal. In: *Medicinal plants in Nepal: An anthology of contemporary research*, 90-96. Eds. P.K. Jha, S.B. Karmacharya, M.K. Chhetri, C.B. Thapa and B.B. Shrestha. Ecological Society of Nepal, Kathmandu, Nepal.. [It is an article in the book entitled Medicinal plants in Nepal which deals sustainable harvesting techniques of *Codyceps sinensis* in the Nepal Himalayas].

Ghimire S.K. and Aumeeruddy-Thomas Y. (2005). Approach to *in-situ* conservation of threatened Himalayan medicinal plants: a case study from Shey Phoksundo National Park, Dolpa. In *Himalayan medicinal and aromatic plants, balancing use and conservation*, pp.209-234. Eds. Y. Thomas, M. Karki, K. Gurung and D. Parajuli.. [This is a book chapter that covers the vulnerability assessment of MAPs carried out in the Shey Phoksundo National Park, Dolpa, Nepal].

Ghimire B.K., Seong E.S., Kim E.H., Ghimeray A.K., Yu C.Y., Ghimire B and Chung I.M. (2011). A comparative evaluation of the antioxidant activity of some medicinal plants popularly used in Nepal. *Journal of Medicinal Plants Research*, 5(10):1884-1891.. [It is a study to covers comparative evaluation of the antioxidant activity of some MAPs].

Ghimire S.K. (2008). Medicinal plants in the Nepal Himalaya: Current issue, sustainable harvesting, knowledge gaps and research priorities. *Medicinal plants in Nepal: An anthology of contemporary research*, pp.25-42. Eds. P.K. Jha, S.B. Karmacharya, M.K. Chhetri, C.B. Thapa and B.B. Shrestha. Ecological Society of Nepal, Kathmandu, Nepal. [It is an article which elucidate about Nepal's medicinal plants published in a book entitled *Medicinal Plants of Nepal* and edited by Jha et al.].

Ghimire S.K., Awasthi B., Rana, S. Rana H.K., Bhattarai R., Pyakurel D. (2016). Export of medicinal and aromatic plant materials from Nepal. *Botanica Orientalis: Journal of Plant Science*, 10: 24-32.. [This is a research article which assesses the current export quantity of MAPs from Nepal].

Glesinger L. (1954). *Medicine through centuries*. Zagreb: Zora; pp. 21–38.. [It is a historical review of medicinal plant's use].

Gottardi D., Bukvicki D., Prasad S., and Tyagi A. K. (2015). Beneficial Effects of Spices in Food Preservation and Safety. *Frontiers in Microbiology*. <https://doi.org/10.3389/fmicb.2016.01394>.. [It is a review article to provide comprehensive summary of the most relevant and recent findings on spices].

Gottlib L.D. (1984). Genetics and morphological evolution in plants. *American Naturalist*, 123:681-709. [This is a review article to elucidate how many genetic changes are responsible for the evolution of new traits].

Gyawali R., Jnawali D. and Kim K.S. (2008). Phytochemical screening of some species of Nepalese medicinal plants. In: *Medicinal plants in Nepal: An anthology of contemporary research*, pp.43-49. Eds. P.K. Jha, S.B. Karmacharya, M.K. Chhetri, C.B. Thapa and B.B. Shrestha. Ecological Society of Nepal, Kathmandu, Nepal. [It is a study that covers screening of some important compounds in some species of Nepalese MAPs].

Jain S. (1989). Domestication of Limnathes (meadowfoam) as a new oil crop. In: *Plant domestication by induced mutation. Proceeding of an advisory group meeting held in Vienna Nov. 17-21 pp.121-134*. Organized by Joint FAO/ IAEA Division of Nuclear Techniques in Food and Agriculture.

Kelly K. (2009). *History of medicine. Facts on file*, New York, USA. pp. 29–50.. [This explains how the medicine was evolved]

Kunwar A. and Priyadarsini K.I. (2011). Free radicals, oxidative stress and importance of antioxidants in human health. *Journal of Medical and Allied Sciences*, 1(2):53-60.. [This is a research to understand free radicals reactions upon the human body].

Kunwar R.M., Adhikari Y.P., Sharma H.P., Rimal B., Devkota H.P., Charmakar S., Acharya R.P., Baral K., Ansari A.S., Bhattarai R., Thapa-Magar S., Paudel H.R., Baral S., Sapkota P., Uprety Y., LeBoa C., Jentsch, A. (2020). Distribution, use, trade and conservation of *Paris polyphylla* Sm. in Nepal. *Global Ecology and Conservation*, 23: e01081. <https://doi.org/10.1016/j.gecco.2020.e01081>.. [This is a study made to understand the socio-ecological interactions regarding the current distribution, use, trade, and conservation of *P. polyphylla* in the natural habitats].

Kunwar R.M. (2017). Wild Edible Vegetables of Lesser Himalayas. *Ethnobotanical and Nutraceutical Aspects, Review. Economic Botany* 71 (1): 96-104.. [This a book which provides a complete review of over 50 important plants of this region and details each species including photographs, botanical name, local name, family, flowering and fruiting period, status and habitat, parts used, distribution, ethnobotanical uses, cultural aspects, medicinal uses, and nutraceutical aspects].

Kunwar R.M., Shrestha K.P. and Bussmann R.W. (2010). Traditional herbal medicine in Far-west Nepal: a pharmacological appraisal. *Journal of Ethnobiology Ethnomedicine*, 6:35. <https://doi.org/10.1186/1746-4269-6-35>. [It a study conducted in the far-western part of Nepal to cover how the rural people use different species of MAPs to treat ailments.].

Malla S.B. and Sakya, P.R. (1984). Medicinal Plants. In: Majpuria, T.C. (eds.), *Nepal Nature Paradise*, White Lotus Co. Ltd., Bangkok, Thailand. Pp 261-297.. [It is an article in the book which covers the medicinal plants of Nepal].

Miya M.S., Timilsina, S. and Chhetri, A. (2020). Ethnomedicinal uses of plants by major ethnic groups of Hilly Districts in Nepal: A review. *Journal of Medicinal Botany*, 4:24-37.[It is a study to provide the overview of medicinal plants used to treat different ailments in the mountains of Nepal].

Nutton, V. (2012). *Ancient Medicine* (2nd ed.). Routledge.. [It is a book that covers complete examination of the medicine of the ancient world for a hundred years].

Pandey, M.M., Rastogi, S. and Rawat, A.K.S. (2013). Indian Traditional Ayurvedic System of Medicine and Nutritional Supplementation. *Evidence-Based Complementary and Alternative Medicine* Volume, Article ID 376327, 12 pages. <http://dx.doi.org/10.1155/2013/376327>. [This review gives an overview of the Ayurvedic system of medicine and its role in translational medicine in order to overcome malnutrition and related disorders].

Parajuli, S., Pun, N.T., Parajuli, S. and Jamarkattel-Pandit, N., (2012). Antioxidant activity, total Phenol and Flavanoid contents in some selected medicinal plants of Nepal. *Journal of Health and Allied Sciences*, 2(1):27-31.[This is a review article that covers the antioxidant activities in Nepalese MAPs].

Petrovska B.B. (2012). Historical review of medicinal plants' usage. *Pharmacognosy review*, 6: 1–5. [It is a historical review article and shows how plants have been used by human being in different era].

Phoboo S., Jha P.K. and Bhowmik P.C. (2008). Biology and phytochemistry of *Swertia chirayita*. In: *Medicinal plants in Nepal: An anthology* Eds. P.K. Jha, S.B. Karmacharya, M.K. Chettri, C.B. Thapa and B.B. Shrestha. Ecological Society, Kathmandu, Nepal. Pp. 203-211. [It is an article which explores the biological and phytochemical aspects of *Swertia chirayita*].

Rana S.K., Rana, H.K. Ranjitkar S., Ghimire S.K., Gurmachhan C.M., O'Neill A.R. and Sun H. (2020). Climate-change threats to distribution, habitats, sustainability and conservation of highly traded medicinal and aromatic plants in Nepal. *Ecological Indicators* 115, 106435, <https://doi.org/10.1016/j.ecolind.2020.106435>.. [It is a report on the research conducted to understand 'how' and 'where' the plantation of MAPs can be effectively implemented in Nepal].

Sharma, U.R., Malla, K.J, and Uprety R.K. (2004). Conservation and management efforts of medicinal and aromatic plants in Nepal. *Banko Jankari*, 14: 3-11. [This is a study which made to understand the different approach made in Nepal for management of MAPs].

Shipmann U., Leaman D., and Cunningham A.B. (2006) A Comparison of Cultivation and Wild Collection of Medicinal and Aromatic Plants Under Sustainability Aspects. In Eds. Bogers, R.J. , Craker and Lange D.: *Medicinal and Aromatic Plants*, 75-95. Springer, the Netherlands.. [This is an article which gives the overview of number of medicinal plants].

Shrestha T.B. and Joshi, R.M. (1996) *Rare, Endemic and Endangered Plants of Nepal*. WWF Nepal Program, Kathmandu.. [This is a book which covers a compilation of rare, endemic and endangered plants of Nepal].

Subedi B.P. (2001). *Marketing of Medicinal and Aromatic Plant Products of Nepal in Domestic and International Markets*. Asia Network for Sustainable Agriculture and Bioresources (ANSAB), Akantakuna, Kathmandu. [This is a internal publication booklet of ANSAB and it covers marketing channels of MAPs].

Taylor R.S.L. (1996). Ethnomedicine, Pharmacology, and Phytochemistry. A thesis submitted in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Botany. The University of British Columbia, Canada. [This is PhD thesis and covers mainly ethnomedicine, pharmacology and phytochemistry aspects of MAPs of Nepal].

Teixeira-Santos I., Sianto L., Araújo A., Reinhard K.J. and Chaves S.A.D.M. (2015). The evidence of medicinal plants in human sediments from Furna do Estrago prehistoric site, Pernambuco State, Brazil. *Quaternary International*, 377:112-117.. [This demonstrates that plants with medicinal properties were used by the early population to adapt to the parasites in the area which is found from Pollen grains recovered from six human coprolites associated with five skeletons].

IUCN (2000). *National register of medicinal and aromatic plants*. IUCN Nepal, pg. 163.. [This is a book which compiled the indigenous MAPs and assist Government of Nepal to establish property rights over biological resources.]

Tucakov J. (1964). *Pharmacognosy*. Beograd: Institute for text book issuing in SR. Srbije. [This is historical review of the usage of medicinal plants and great contribution on Pharmacognosy].

Tucakov J. (1971). *Healing with plants – phytotherapy*. Beograd: *Culture*, pp. 180–90. [This is a historical review of medicinal plant properties].

Wiat C. (2006) *Medicinal Plant of Asia-Pacific-Drugs for the Future*. World Scientific Publishing Co. Pte. Ltd., British Library Cataloguing-in-Publication Data, 380.. [This is review which discusses the structure-activity relationship of different compounds of medicinal plants as well as recent developments and the scope for future research].

Biographical Sketches

Dr. Khem Raj Bhattarai has over 30 years' experience in exploration and documentation of flora, domestication of medicinal plants, conservation and management of biodiversity. He received his MSc degree in Botany in 1991 with top first class from Tribhuvan University, Nepal. His carrier was started from 1992 as a Botanist/Scientist in the National Herbarium and Plan Laboratories, under the Ministry of Forests, Nepal. He holds MPhil in Ecology and PhD in Biodiversity from the University of Bergen, Norway where he studied from 1999 to 2004. After few years of his active work in Himalayan botany, he deserved the Senior Scientific Officer and became the director of National Herbarium of Nepal. During 2013-2015 he served as a Joint Secretary (gazetted first class officer) in the Ministry of Forests, Government of Nepal. He has extensively published on relationship between biodiversity and climate, medicinal plants, conservation and ecology in peer review journals. He has published three books on medicinal plants and two book chapters on ecology and vegetation. He has served board of directors from 2009 to 2015 in the Herbs Production and Processing Company Limited, Kathmandu, Nepal. During his tenure in the government, he has served as a chairperson, coordinator and member in the different committees formed for management of medicinal plants by the Government of Nepal. He has established a Gorkha Organic Herbal farm in 2018 in Gorkha, Nepal, where 30 different tropical and subtropical herbal crops are under cultivation. Currently he is vice president of Nepal Ayurvedic Medicine Producers Association and President of Nepal Herbal and Agricultural Grower Association. He has received award “Mahendra Bidhya Bhusan” from the government and BD Pandey Award from Association of Plant Physiologists of SAARC countries.

Dr. Subedi Subedi grew up in rural central-west Nepal where he developed an interest in plant science. He received a bachelor's degree in biology from Tribhuvan University. Then, he became interested in the plants in high mountains and studied the effects of climate change on high mountain plants for his master's degree at Tribhuvan University. Dr. Subedi's Ph.D. dissertation at Florida International University focused on a functional trait approach to examine plant community dynamics in tropical hardwood hammock forests. Currently, Dr. Suresh Subedi is an Assistant Professor in Department of Biological Sciences at Arkansas Tech University, continues his research on plant biology at different biological scales- organismal to community to ecosystem and their response to environmental change, using an integrative approach combining observational, experimental, and modeling techniques. He has published several research papers in peer review journals.